

Vitreoretinal Product Catalog

www.fciworldwide.com

FCI®

FCI S.A.S. is a world leader in the development of a wide range of ophthalmic surgical devices.

Since the company's inception in 1984, the innovative developments of FCI have helped physicians solve problems related to epiphora, dry eye, eyelids, and orbital surgery as well as **retinal detachment** : highly purified silicone oil and perfluorocarbons, scleral buckling implants, and a wide range of other ophthalmic surgical devices such as disposable vitrectomy lenses and accessories.

FCI performs extensive research and development to provide physicians with outstanding products that enhance the efficiency and effectiveness of retinal procedures.

This line of product is FCI latest commitment to provide you with high performance products in retinal surgery.

TABLE OF CONTENTS

MEDICAL RETINA

INTRAVITREAL INJECTION ASSISTANT 4

InVitria®

INTRAVITREAL INJECTION KIT 5

Pack InVitria®

SURGICAL RETINA

ENDO-PROBES 6

90° Adjustable laser probes · Laser probes · Laser illumination probes
Light probes

OPHTHALMIC SURGICAL LIQUIDS 16

Silicone oil · Injection tubings · PFCL
Self-retaining silicone oil cannulas

SCLERAL BUCKLES 18

ePTFE · Silicone (bands, strips, tires, fixation sleeves, cords, sponges)
Morin-Devin "T" shaped macular wedge® for staphyloma

ACCESSORIES 24

Trocars · Backflush handles & Cannulas · Disposable vitrectomy lenses
Disposable three mirror lens · Ophthalmic viscosurgical device
Vitrectomy kits · Iris retractors

VITREORETINAL INSTRUMENTS 32

Single use · Reusable · Retinal detachment set

This publication is not intended for distribution in the USA.

INVITRIA®
INTRAVITREAL INJECTION ASSISTANT

InVitria® is a disposable device that simplifies intravitreal injections. Its special design ensures a fast, accurate & predictable procedure.

Eliminates unnecessary instruments

- No speculum, caliper or pressure plate needed.

Assures accuracy

- Fixed guide ensures proper angle, depth & distance of injection every time.

Relaxes patients

- InVitria® immobilizes the eye & hides the needle resulting in less patient anxiety.

Prevents leakage

- Rotating the device pre & post injection, displaces & replaces the conjunctiva over the injection hole.



Compatible with :

- BD 30 G 13 mm cannula.
- B/Braun Lucentis® Sterican® 30 G cannula.

PACK INVITRIA®

Box of 10, sterile, including:

- 3 Pro Ophta Sticks
- 1 MW-200-P Invitria®
- 1 BD 30G 13 mm Cannula
- 5 Compresses 5x5 cm
- 1 Perforated Drape 40x40 cm
- 1 Wrapping Sheet 75x75 cm

MW-300-P

Single use

MW-300-P	Pack Invitria®

INVITRIA®

- For Avastin® injections
- Compatible with insulin type of cannulas & safety needle sush as BD U-100 & B/Braun 30G needles
- Sterile, box of 25

MW-200-I
MW-200-P

Single use

MW-200-I	Invitria®

- For Lucentis® injections: prefilled syringe & vial format
- For Eylea® injections: vial format
- Compatible with BD 30G 13 mm cannula & B/Braun Lucentis® Sterican® 30G cannula
- Sterile, box of 25

Single use

MW-200-P	Invitria®

90° ADJUSTABLE LASER PROBES

Exclusive design

- Angle of curvature: pressure-controlled (from 0° to 90°)
- Safe probe removal: goes back in straight position when releasing the handle
- Compatible with most laser machines
- 50% stiffer than competition
- Short stroke for optimal control
- Low pressure needed to actuate the handle
- Ultra precise concentric laser spot
- Available in 23 Ga and 25 Ga
- Sterile, box of 10



LASER CONNECTORS

ALCON® / COHERENT / ZEISS / ELLEX / OS4®

	Single use	23 Ga
S9.1302.23	90° Adjustable laser probe	

	Single use	25 Ga
S9.1302.25	90° Adjustable laser probe	

DORC

	Single use	23 Ga
S9.1305.23	90° Adjustable laser probe	

	Single use	25 Ga
S9.1305.25	90° Adjustable laser probe	

ENDO-PROBES

IRIDEX / BAUSCH & LOMB™

		Single use	23 Ga
S9.1301.23	90° Adjustable laser probe		
		Single use	25 Ga
S9.1301.25	90° Adjustable laser probe		

NIDEK THREAD / LUMENIS® NOVUS SPECTRA

		Single use	23 Ga
S9.1304.23	90° Adjustable laser probe		
		Single use	25 Ga
S9.1304.25	90° Adjustable laser probe		

QUANTEL SUPRA® / VITRA®

		Single use	23 Ga
S9.1303.23	90° Adjustable laser probe		
		Single use	25 Ga
S9.1303.25	90° Adjustable laser probe		

LASER PROBES

Ergonomic non-slip handpiece design

- Available in 20 Ga, 23 Ga, 25 Ga, 27 Ga
- Color coding for easy identification
- Ultra precise concentric laser spot
- Compatible with most laser machines
- Sterile, box of 10

STRAIGHT

CURVED

FLEX CURVED

LASER CONNECTORS

ALCON® / COHERENT / ZEISS / ELLEX / OS4®

	Single use	20 Ga
S9.1002.20	Straight	
S9.1102.20	Curved	

	Single use	23 Ga
S9.1002.23	Straight	
S9.1202.23	Curved	
S9.1212.23	Flex curved	

	Single use	25 Ga
S9.1002.25	Straight	
S9.1202.25	Curved	
S9.1212.25	Flex curved	

	Single use	27 Ga
S9.1002.27	Straight	

DORC

	Single use	20 Ga
S9.1005.20	Straight	
S9.1105.20	Curved	

	Single use	23 Ga
S9.1005.23	Straight	
S9.1205.23	Curved	
S9.1215.23	Flex curved	

	Single use	25 Ga
S9.1005.25	Straight	
S9.1205.25	Curved	
S9.1215.25	Flex curved	

	Single use	27 Ga
S9.1005.27	Straight	

ENDO-PROBES

IRIDEX / BAUSCH & LOMB™

	Single use	20 Ga
S9.1001.20	Straight	
S9.1101.20	Curved	

	Single use	23 Ga
S9.1001.23	Straight	
S9.1201.23	Curved	
S9.1211.23	Flex curved	

	Single use	25 Ga
S9.1001.25	Straight	
S9.1201.25	Curved	
S9.1211.25	Flex curved	

	Single use	27 Ga
S9.1001.27	Straight	

NIDEK THREAD / LUMENIS® NOVUS SPECTRA

	Single use	20 Ga
S9.1004.20	Straight	
S9.1104.20	Curved	

	Single use	23 Ga
S9.1004.23	Straight	
S9.1204.23	Curved	
S9.1214.23	Flex curved	

	Single use	25 Ga
S9.1004.25	Straight	
S9.1204.25	Curved	
S9.1214.25	Flex curved	

	Single use	27 Ga
S9.1004.27	Straight	

QUANTEL SUPRA® / VITRA®

	Single use	20 Ga
S9.1003.20	Straight	
S9.1103.20	Curved	

	Single use	23 Ga
S9.1003.23	Straight	
S9.1203.23	Curved	
S9.1213.23	Flex curved	

	Single use	25 Ga
S9.1003.25	Straight	
S9.1203.25	Curved	
S9.1213.25	Flex curved	

	Single use	27 Ga
S9.1003.27	Straight	

LASER ILLUMINATION PROBES

Ergonomic non-slip hanpiece design

- Available in 20 Ga, 23 Ga, 25 Ga, 27 Ga
- Color coding for easy identification
- Ultra precise concentric laser spot
- Compatible with most laser machines
- Sterile, box of 10

STRAIGHT

CURVED

19 Ga needle

- Unique design with universal 19 Ga needle, to be inserted into FCI reusable light connector

LASER CONNECTORS

ALCON® / COHERENT / ZEISS / ELLEX / OS4®

	Single use 20 Ga
S9.1402.20	Straight
S9.1502.20	Curved

	Single use 25 Ga
S9.1402.25	Straight
S9.1602.25	Curved

	Single use 23 Ga
S9.1402.23	Straight
S9.1602.23	Curved

	Single use 27 Ga
S9.1402.27	Straight

DORC

	Single use 20 Ga
S9.1405.20	Straight
S9.1505.20	Curved

	Single use 25 Ga
S9.1405.25	Straight
S9.1605.25	Curved

	Single use 23 Ga
S9.1405.23	Straight
S9.1605.23	Curved

	Single use 27 Ga
S9.1405.27	Straight

ENDO-PROBES

IRIDEX / BAUSCH & LOMB™

	Single use	20 Ga
S9.1401.20	Straight	
S9.1501.20	Curved	

	Single use	25 Ga
S9.1401.25	Straight	
S9.1601.25	Curved	

	Single use	23 Ga
S9.1401.23	Straight	
S9.1601.23	Curved	

	Single use	27 Ga
S9.1401.27	Straight	

NIDEK THREAD / LUMENIS® NOVUS SPECTRA

	Single use	20 Ga
S9.1404.20	Straight	
S9.1504.20	Curved	

	Single use	25 Ga
S9.1404.25	Straight	
S9.1604.25	Curved	

	Single use	23 Ga
S9.1404.23	Straight	
S9.1604.23	Curved	

	Single use	27 Ga
S9.1404.27	Straight	

QUANTEL SUPRA® / VITRA®

	Single use	20 Ga
S9.1403.20	Straight	
S9.1503.20	Curved	

	Single use	25 Ga
S9.1403.25	Straight	
S9.1603.25	Curved	

	Single use	23 Ga
S9.1403.23	Straight	
S9.1603.23	Curved	

	Single use	27 Ga
S9.1403.27	Straight	

LIGHT CONNECTORS

- Reusable, box of 1
- Non sterile

S9.24.0A	Alcon Accurus® & Constellation®
S9.24.0B	Bausch & Lomb Millenium®
S9.24.0D	Bausch & Lomb Stellaris PC®
S9.24.0E	Dorc
S9.24.0F	Zeiss

LIGHT PROBES

Ergonomic non-slip handpiece design

- Convenient 2.4 meters long fibers
- Available in 20 Ga, 23 Ga, 25 Ga, 27 Ga
- Sterile, box of 10 (except chandelier, box of 5)

19 Ga needle

- Unique design with universal 19 Ga needle, to be inserted into FCI reusable light connector

Chandelier

Focus

	Single use 20 Ga
S9.2001.20	Focus
S9.2101.20	Widefield
S9.2201.20	Shielded widefield

Widefield

	Single use 23 Ga
S9.2001.23	Focus
S9.2101.23	Widefield
S9.2201.23	Shielded widefield

Shielded widefield



	Single use 25 Ga
S9.23.0E.25	Chandelier - Alcon Accurus® & Constellation®
S9.23.0C.25	Chandelier - Alcon Ocutome®
S9.23.0D.25	Chandelier - Bausch & Lomb Stellaris PC®
S9.2001.25	Focus
S9.2101.25	Widefield
S9.2201.25	Shielded widefield

	Single use 27 Ga
S9.2001.27	Focus

LIGHT CONNECTORS

- Reusable, box of 1
- Non sterile

S9.24.0A	Alcon Accurus® & Constellation®
S9.24.0B	Bausch & Lomb Millenium®
S9.24.0D	Bausch & Lomb Stellaris PC®
S9.24.0E	Dorc
S9.24.0F	Zeiss

ENDO-PROBES

PURIFIED SILICONE OIL

FCI silicone oil is used for prolonged tamponade after a surgical treatment for severe retinal detachment.

- Highly purified
- Excellent stability
- Optimal transparency
- Exclusive vacuum molecular distillation & purification method
- 3-year shelf life
- Sterile, box of 1

VIAL

SYRINGE

	VISCOSITY	PACKAGING
S5.7180	1000 cSt	Vial 10 ml
S5.7100	1000 cSt	Vial 15 ml
S5.7580	5000 cSt	Vial 10 ml
S5.7500	5000 cSt	Vial 15 ml

	VISCOSITY	PACKAGING
S5.7170	1000 cSt	Syringe 10 ml
S5.7160	1000 cSt	Syringe 15 ml
S5.7570	5000 cSt	Syringe 10 ml
S5.7560	5000 cSt	Syringe 15 ml

SILICONE OIL INJECTION TUBINGS

Single use		CONNECTOR & CABLE	MANUFACTURER	VITRECTOMY SYSTEM
SP.123 Sterile Luer Lock connector (male / female)		20L33 connector	Fritz Ruck	• Pentasys® • Pentasys® 2
		Optikon cable (OKT 722)	Optikon	• Antares® • Vitreosec® • Assistant®
		N/A	Storz	Première®
		Pressure tubing DORC 1364 + Connector DORC 1364A	DORC	• VFI System® (1360) • Harmony Buget® • Viscous Fluid Injection Extraction System® • Associate®
SP.124		N/A	Alcon	• Accurus® • Constellation®
		N/A	Dorc	• Eva®
SP.125		N/A	Bausch & Lomb	• Millenium® • Stellaris®
SP.126		N/A	Oertli	• Orbit® • Faros® • OS3® • OS4®
			Zeiss	• VISALIS® 500

OPHTHALMIC SURGICAL LIQUIDS

PFCL

FCI-OCTA & FCI-DECA are liquids perfluorocarbons (PFCL) used in retinal surgery as a transitory intra-ocular tamponade especially in retinal detachment.

- Perfectly pure
- Non volatile residues
- Non detectable fluorides
- Non detectable Ion hydrogen C-H link
- Supplied with sterile disposable needle & syringe
- 3-year shelf life
- Sterile, box of 1

		PACKAGING
S5.8150	FCI-DECA	Vial 5 ml
S5.8170	FCI-DECA	Vial 7 ml
S5.8250	FCI-OCTA	Vial 5 ml
S5.8270	FCI-OCTA	Vial 7 ml

S5.8150

S5.8170

S5.8250

S5.8270

SELF-RETAINING SILICONE OIL CANNULAS

- Available in 20 Ga & 23 Ga
- Sterile, box of 5

	Single use 20 Ga
S5.7704	Self-retaining silicone oil cannula 4 mm
S5.7706	Self-retaining silicone oil cannula 6 mm

	Single use 23 Ga
S5.7705	Self-retaining silicone oil cannula 4 mm
S5.7708	Self-retaining silicone oil cannula 6 mm

4 mm

S5.7704 / S5.7705

6 mm

S5.7706 / S5.7708

ePTFE

Expanded PolyTetraFluoroEthylen (ePTFE) scleral buckles implants are porous and biocolonizable material. They are used to treat retinal detachment.



Main characteristics:

- Good conjunctival & scleral tolerance
- No inflammation
- No extrusion
- No conjunctival erosion
- No necrosis
- FCI exclusivity
- Sterile, box of 1

Bands

		Single use	LENGTH mm
S5.4801		Ducournau® Band	120
S5.4806			60
S5.4811		Ducournau® Band	120

		Single use	LENGTH mm
S5.4821		Band	120
S5.8001		Band for reinforcing sclera at the back of the eye	120

Sponges

		Single use	LENGTH mm
S5.6625		Sponge	90
S5.6630		Sponge	90
S5.6635		Sponge	90
S5.6640		Sponge	90

		Single use	LENGTH mm
S5.6645		Half Sponge	90
S5.6650		Sponge	90
S5.6670		Sponge	90

Strips

		Single use	LENGTH mm
S5.6660		O. Lequoy® strip	90

SILICONE

FCI medical grade silicone implants for scleral buckling have been used in retinal detachment surgery throughout the world with great success.

Main characteristics:

- Soft & elastic
- Biocompatible & non toxic
- Non-antigenic
- Easily tailored to exact size
- Wide range of shapes available
- Sterile



Bands *

		Single Use	LENGTH mm	BOX
S5.1000	2 × 0.75	Type 40	120	x 3
S5.1010	3.5 (4.8) × 0.75	Type 41	120	x 3
S5.1020	4 (5.9) × 1.25	Type 42	120	x 3
S5.2000	2.5 × 0.6	Type 240	120	x 3
S5.2021	4 × 1	Devin® band	120	x 3
S5.2282	5 × 2	Korobelnik® oval strip	120	x 1

		Single Use	LENGTH mm	BOX
S5.4000	5.5 × 2.1	Ducournau® band	120	x 3
S5.4100	6 × 2.1	Ducournau® band	120	x 3
S5.4200	6.5 × 2.5	Ducournau® band	120	x 3
S5.4300	7.5 × 2.5	Ducournau® band	120	x 3
S5.4450	7.5 × 2	Ducournau® band	120	x 3
S5.4500	5.5 × 2.1	Ducournau® band II	120	x 3

* Supplied with silicone fixation sleeve, except for Ducournau® bands

Ducournau® hooks**

- Used to position silicone Ducournau® band II
- Non sterile, box of 1

S5.4900	Right Ducournau® hook
S5.4910	Left Ducournau® hook

S5.4900 / S5.4910

** Guidelines for cleaning and sterilisation of instruments : see Instruction for Use n°2138 311 86.

Strips

		Single Use	LENGTH mm	BOX
S5.1100		Type 20	100	x 3
S5.1200		Type 31	100	x 3
S5.1250		Type 32	100	x 3
S5.2100		Type 219	100	x 3
S5.2200		Type 220	100	x 3

		Single Use	LENGTH mm	BOX
S5.2250		Type 225	100	x 3
S5.1111		Strip	100	x 1
S5.2261		Morin® strip	100	x 1
S5.2271		Caputo® zip strip 9 mm	120	x 1
S5.2276		Caputo® zip strip 7 mm	120	x 1

Tires

		Single Use	BOX
S5.2290		Asymmetrical tire Type 276	x 3
S5.2300		Type 277	x 3
S5.2310		Biconvex tire Type 287	x 3
S5.2320		Biconvex tire Type 289	x 3

		Single Use	BOX
S5.2330		Type 279	x 3
S5.2332		Type 279 35 shores	x 1
S5.2340		Asymmetrical tire Type 280	x 3
S5.2521		Type 281 35 shores	x 1

Fixation sleeves

		Single Use	LENGTH mm	BOX
S5.3000		Type 70 for S5.1000	30	x 3
S5.3010		Type 270 for S5.2000	30	x 3

		Single Use	LENGTH mm	BOX
S5.3015		For S5.1010	30	x 3
S5.3020		For S5.1020	30	x 3

Fixation sleeves forceps*

- Non sterile, box of 1

S5.3100	Watzke forceps

S5.3100

Cords

		Single Use	LENGTH mm	BOX
S5.5110	Ø1 / 1.6	Cord	150	x 3
S5.5115	Ø1.5 / 2.4	Cord	150	x 3
S5.5120	Ø2 / 3.1	Cord	150	x 3
S5.5020				x 1
S5.5130	Ø3 / 4.7	Cord	150	x 3
S5.5030				x 1

		Single Use	LENGTH mm	BOX
S5.5150	Ø5 / 7.8	Cord	150	x 3
S5.5050				x 1
S5.5330	Ø3 / 1.5 / 4.7	Half cord	150	x 1
S5.5340	Ø4 / 2 / 6.3	Half cord	150	x 1
S5.5350	Ø5 / 2.5 / 7.8	Half cord	150	x 1

* Guidelines for cleaning and sterilisation of instruments : see Instruction for Use n°2138 311 86.

Sponges

		Single Use	LENGTH mm	BOX
S5.6521		Type 501	100	x 1
S5.6303		Type 503	100	x 3
S5.6304		Type 504	100	x 3
S5.6305		Type 505	100	x 3
S5.6020		Type 505 G	100	x 3
S5.6335		Type 506	100	x 3
S5.6340		Type 506 G	100	x 3
S5.6357		Type 507	100	x 3
S5.6360		Type 507 G	100	x 3
S5.6311		Type 508	100	x 3
S5.6011				x 1
S5.6021		Type 508 G	100	x 1
S5.6370		Type 509 G	100	x 3

		Single Use	LENGTH mm	BOX
S5.6450		Type 510	100	x 3
S5.6150				x 1
S5.6475		Type 511	100	x 3
S5.6175				x 1
S5.6050		Oval	100	x 1
S5.6080		Sponge	100	x 1
S5.6160		Devin® half sponge	100	x 1
S5.6325		Furia® sponge	100	x 3
S5.6095		Gain® sponge	100	x 1
S5.6575		Korobelnik® coated sponge	10	x 1
S5.6535		Korobelnik® coated sponge	10	x 1
S5.6511		Sahel® sponge	100	x 1
S5.6531		Sahel® sponge	100	x 1
S5.6090		Trepsat® double radius sponge	100	x 1
S5.6085		Trepsat® oval sponge	100	x 1

MORIN-DEVIN «T» SHAPED MACULAR WEDGE®

Morin-Devin « T » shaped macular wedge® for staphyloma

This « T » shaped macular wedge® enables an episcleral macular indentation during retinal detachment surgery caused by a tear of the posterior pole in a high myope with a deep posterior staphyloma.

Main characteristics:

- FCI exclusivity
- Used in combination with the Morin® band
- Sterile, box of 1

	Single use
S5.9001	Morin-Devin « T » shaped macular wedge®
S5.2010	Morin® band 3,5 x 0,6 mm

TROCARS

RetiLock® 1st one-step & autostable FCI trocar system

Main charateristics:

- Exclusive & patented design to ensure a good stability of the cannula, with special scleral ring feature
- Ready-to-use for a one-step insertion
- Ultra sharp knife for smooth & high precision incision
- Cone-shaped cannula to make the insertion of instruments easier
- 3 & 4 mm scleral marker
- Supplied with a 23 Ga / 25 Ga infusion line compatible with BSS, gas & silicone oil
- Sterile, box of 5 kits



RetiLock® valved

- 3 Trocar cannulas mounted on ultra sharp knives
- 1 infusion line
- Transparent silicone valve and cone-shaped cannula for easy insertion of instruments



S9.7100 ● ●

RetiLock® non valved

- 3 Trocar cannulas mounted on ultra sharp knives
- 1 infusion line
- Cone-shaped cannula for easy insertion of instruments
- 3 plugs: compatible with standard forceps such as Paufique and Bonn forceps
  It is recommended to gently insert the plug on the trocar.

S9.7000 ● ●

	Single use 23 Ga
S9.7000.23	Retilock® non valved
S9.7100.23	Retilock® valved
	Single use 25 Ga
S9.7000.25	Retilock® non valved
S9.7100.25	Retilock® valved

DISPOSABLE BACKFLUSH

Disposable backflush handpiece

- All-in-one & ready to use
- Black silicone tips for better visibility
- Large reservoir for maximum reflux volume
- Plug for active / passive conversion
- Luer lock for active line attachment
- Available in 20, 23, 25, 27 Ga
- Sterile, box of 5



	Single use 20 Ga	
S9.3012.20	Blunt tip
S9.3011.20	Brush tip
S9.3013.20	Diamond dusted soft tip
S9.3010.20	Soft tip

	Single use 25 Ga	
S9.3012.25	Blunt tip
S9.3011.25	Brush tip
S9.3013.25	Diamond dusted soft tip
S9.3010.25	Soft tip

	Single use 23 Ga	
S9.3012.23	Blunt tip
S9.3011.23	Brush tip
S9.3013.23	Diamond dusted soft tip
S9.3010.23	Soft tip

	Single use 27 Ga	
S9.3012.27	Blunt tip

REUSABLE BACKFLUSH

Reusable backflush handle*

- Active or passive aspiration
- Durable titanium handle
- Box of 1

S9.3110

S9.3120

S9.3110	Titanium backflush instrument active
S9.3120	Titanium backflush instrument passive

Single use replacement reservoir for backflush

- Sterile, box of 10

S9.3210

S9.3220

	Single use	
S9.3210	Active replacement reservoir
S9.3220	Passive replacement reservoir

* Guidelines for cleaning and sterilisation of instruments : see Instruction for Use n°2138 311 75.

CANNULAS

Disposable cannulas

- Several tips design available
- Sterile, box of 5

		Single use	20 Ga
S9.4112.20	Blunt tip		
S9.4111.20	Brush tip		
S9.4110.20	Soft tip		
		Single use	23 Ga
S9.4112.23	Blunt tip		
S9.4111.23	Brush tip		
S9.4110.23	Soft tip		
		Single use	25 Ga
S9.4112.25	Blunt tip		
S9.4111.25	Brush tip		
S9.4110.25	Soft tip		

BRUSH TIP

SOFT TIP

BLUNT TIP

Dual bore cannulas

- Sterile, box of 5

		Single use	20 Ga
S9.4113.20	Dual bore cannula		
		Single use	23 Ga
S9.4113.23	Dual bore cannula		
		Single use	25 Ga
S9.4113.25	Dual bore cannula		

Sub-retinal cannulas

- Sterile, box of 5

		Single use	23 Ga
S9.4114.23	Sub-retinal cannula		
		Single use	25 Ga
S9.4014.25	Sub-retinal cannula		

DISPOSABLE VITRECTOMY LENSES

Silicone vitrectomy lenses

- Sterile, box of 5

	Single use	FIELD	MAGNIFICATION	LANDERS RING COMPATIBILITY
S5.7010	Plano concave	30°	x 1.08	Yes
S5.7030	30° Prismatic	30°	x 1.08	Yes
S5.7040	Biconcave	36°	x 0.54	Yes

PLANO CONCAVE



PRISMATIC

PMMA vitrectomy lenses

- Sterile, box of 5

	Single use	FIELD	MAGNIFICATION	LANDERS RING COMPATIBILITY
S5.8010	Plano concave	30°	x 0.94	Yes
S5.8030	35° Prismatic	32°	x 0.94	Yes
S5.8040	Biconcave	31.8°	x 0.7	Yes

BICONCAVE

PMMA autostable plano concave lens

- Sterile, box of 5

	Single use	FIELD	MAGNIFICATION	LANDERS RING COMPATIBILITY
S5.8050	PMMA autostable plano concave	30°	x 0.94	N/A

AUTOSTABLE PLANO CONCAVE

FCI Protect® - 2.0% HPMC*

1st FCI Ophthalmic Viscosurgical Device (OVD)

- Optimum protection & volume substitute during intraocular surgery
- Easy removal at the end of the procedure
- Facilitates implants insertion during cataract surgery
- Can be used with FCI disposable vitrectomy lenses
- Supplied with a sterile single use 23 Ga cannula
- Sterile, box of 10

	Single use
S5.9100	FCI Protect® 2.0 %

* HPMC: hydroxypropyl methylcellulose

DISPOSABLE THREE MIRROR LENS

- Made of PMMA
- Angulation of 59°, 67°, 75°
- Central view 30°
- Image magnification 0.93x
- Sterile, box of 5

S5.8000



Single use

S5.8000	Disposable three mirror lens

Exceptional visualisation every time

Zone 1: Lens for observing the posterior pole up to 30°
Zone 2: 75° inclined mirror for observing the fundus above the 30° mark
Zone 3: 67° inclined mirror for observing the peripheral retina
Zone 4: 59° incllined mirror for observing the vitreous body and the aeras of the fundus alongside the ora serrata, as well as for gonioscopic examinations.

VITRECTOMY KITS

Disposable vitrectomy set

Including:

- A pre-calibrated knife
- A self-blocking infusion line
- A disposable silicone vitrectomy plano concave lens
- Sterile, box of 5

S5.7000

Single use | 20 Ga

S5.7000	Disposable vitrectomy set

Self-retaining vitrectomy cannula set

Including:

- A self-blocking infusion line with a pre-calibrated knife
- Sterile, box of 5

S5.7020

Single use | 20 Ga

S5.7020	Self retaining vitrectomy cannula set

IRIS RETRACTORS

Single use iris retractors

- Polypropylene iris retractors
- Insertion through 0.5 mm incision
- Adjustable silicone ring
- Choice of 4 or 5 hooks per pack
- Sterile

	Single use	PACKAGING
S9.5014	Iris retractor - Disposable	1 pack of 4
S9.5054	Iris retractor - Disposable	5 pack of 4
S9.5015	Iris retractor - Disposable	1 pack of 5
S9.5065	Iris retractor - Disposable	6 pack of 5

Reusable iris retractors*

- Same characteristics as single use hooks
- Supplied with autoclavable container
- Sterile

		PACKAGING
S9.5116	Iris retractor - Reusable	1 pack of 6

* Guidelines for cleaning and sterilisation of instruments : see Instruction for Use n°2138 311 75.

SINGLE USE INSTRUMENTS

- Innovative anti-shredding tips design
- Maximum grasping power of 100 grams
- Low pressure needed to actuate the handle
- Short stroke for optimal control
- Exceptional precision: no forward / backward movement of the instrument tip
- Color coding for easy identification
- Available in 23 Ga and 25 Ga
- Sterile, box of 5

FORCEPS

	Single use	23 Ga
S9.6017.23	Tano	
S9.6011.23	Serrated	
S9.6012.23	Maculorhexis	
S9.6013.23	End-grasping	

	Single use	25 Ga
S9.6017.25	Tano	
S9.6011.25	Serrated	
S9.6012.25	Maculorhexis	
S9.6013.25	End-grasping	

TANO

SERRATED



MACULORHEXIS



END-GRASPING

SCISSORS

	Single use	23 Ga
S9.6014.23	Horizontal	
S9.6015.23	Vertical	

	Single use	25 Ga
S9.6014.25	Horizontal	
S9.6015.25	Vertical	



HORIZONTAL

VERTICAL

TANO POLISHER

- Color coding for easy identification
- Available in 20 ga, 23 Ga and 25 Ga
- Black diamonds and black silicone tip for better visibility
- Real diamond dust
- Sterile, box of 5

	Single use	20 Ga
S9.6016.20	Tano polisher	

	Single use	23 Ga
S9.6016.23	Tano polisher	

	Single use	25 Ga
S9.6016.25	Tano polisher	

TANO POLISHER TIP

REUSABLE INSTRUMENTS

Handles:

- Made of lightweight & durable titanium
- Choice of one or two finger actuation
- Linear actuation for smooth closure

A9.61.01

Tips features:

- Available in 20 Ga, 23 Ga & 25 Ga
- Color coding for easy identification
- 360° rotating wheel for optimum control
- Supplied with a flushing adapter

A9.61.02

A9.61.01	One finger control
A9.61.02	Two finger control
A9.61.03	Flushing adapter

SCISSORS

	20 Ga
A9.61.20.20	Straight
A9.61.21.20	Curved
A9.61.24.20	Angled 45° horizontal
A9.61.26.20	Angled 55° horizontal
A9.61.27.20	Angled 70° vertical
A9.61.29.20	Klaus Lucke
	23 Ga
A9.61.22.23	Curved
A9.61.27.23	Angled 70° vertical
	25 Ga
A9.61.22.25	Curved
A9.61.28.25	Angled 45° vertical

* Guidelines for cleaning and sterilisation of instruments : see Instruction for Use n°2138 311 86.

VITREORETINAL INSTRUMENTS

FORCEPS

		17 Ga
A9.61.18.17	Foreign body	
		20 Ga
A9.61.03.20	Diamonized end-gripping	
A9.61.04.20	Tano assymetrical	
A9.61.05.20	Pick	
A9.61.07.20	End-gripping with serrated jaws	
A9.61.08.20	Eckardt	
A9.61.09.20	ILM	
A9.61.16.20	Angled horizontal diamonized	
		23 Ga
A9.61.03.23	Diamonized end-gripping	
A9.61.04.23	Tano assymetrical	
A9.61.05.23	Pick	
A9.61.08.23	Eckardt	
A9.61.09.23	ILM	
		25 Ga
A9.61.03.25	Diamonized end-gripping	
A9.61.04.25	Tano assymetrical	
A9.61.05.25	Pick	
A9.61.08.25	Eckardt	

A9.61.18 ●

A9.61.03 ● ● ●

A9.61.04 ● ● ●

A9.61.05 ● ● ●

A9.61.07 ●

A9.61.08 ● ● ●

A9.61.09 ● ●

A9.61.16 ●

MEMBRANE PICK

		23 Ga
A9.61.43.23	Membrane pick	
		25 Ga
A9.61.43.25	Membrane pick	

RETINAL DETACHMENT SET

- Stainless steel
- Reusable

	A10.5000	Retinal Detachment Set
1	**A1.1400**	Castroviejo eye speculum
2	**A3.3100**	Castroviejo scissors, curved, blunt tip, 12 mm
2	**A2.6000**	Castroviejo caliper
4	**A3.1210**	Sevrin stevens tenotomy scissors, curved, blunt tip
5	**A2.4060**	Gass rouchy hook
6	**A1.2210**	Bonn retractor
7	**A2.7710**	Scleral depressor and fixation pick
8	**A6.7110**	Bonn forceps
9	**A6.4000**	Halsted mosquito forceps
10	**A6.8000**	Paufique forceps
11	**A6.4100**	Serrefine
12	**A7.1110**	Castroviejo needle holder, delicate jaws, curved
	A8.3005	Sterilizing tray, 260 x 160 x 40 mm

Guidelines for cleaning and sterilisation of instruments : see Instruction for Use n°2138 311 86.

NOTES

CONTACT INFORMATION

FCI S.A.S.

20/22 Rue Louis Armand
75015 Paris - FRANCE

Tél : +33 1 53 98 98 97
Fax : +33 1 53 98 98 99

fciexp@fci.fr

FCI13/031 ind B – sept. 2016 – Société par Actions Simplifiées au capital de 46 909 € - SIREN 351 670 385 - RCS PARIS. Conception : B.D.S.A. Le Havre – 02 35 19 21 16

www.fciworldwide.com

For more information, please contact your local distributor :